

#### United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Pajent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	FILING DATE		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
09/151,115	09/10/1998		THOMAS A. GLYNN	10576/1 7311			
26646 7	7590	05/29/2002					
KENYON &			ſ	EXAMINER			
ONE BROAD' NEW YORK,			•	CONNELLY CUSHWA, MICHELLE R			
			[	ART UNIT	PAPER NUMBER		
				2874			
			DATE MAIL ED: 05/20/2002				

Please find below and/or attached an Office communication concerning this application or proceeding.

_ <del>'</del>		Application	No	Applicant(s)	
	Office Action Summary	09/151,115		GLYNN, THOMAS A.	
		Examiner		Art Unit	
	The MAILING DATE of this communic		Connelly-Cushwa	2874	
Period fo	or Reply	auon appears on in c	over sneet with the	correspondence address	·
FHE I - Exter after - If the - If NO - Failu - Any r	ORTENED STATUTORY PERIOD FO MAILING DATE OF THIS COMMUNIC sions of time may be available under the provisions of SIX (6) MONTHS from the mailing date of this commur period for reply specified above is less than thirty (30) period for reply is specified above, the maximum stature to reply within the set or extended period for reply with eply received by the Office later than three months after the part of the provided patent term adjustment. See 37 CFR 1.704(b).	ATION.  37 CFR 1.136(a). In no event, incation.  days, a reply within the statutor tory period will apply and will e	however, may a reply be til y minimum of thirty (30) day yoire SIX (6) MONTHS from tion to become ABANDONE	mely filed  ys will be considered timely.  the mailing date of this communi	cation.
1)□	Responsive to communication(s) filed	d on .			
2a) <u></u>		o)⊠ This action is no	n-final.		
3)	Since this application is in condition f			rosecution as to the mo	rite ie
Dispositi	closed in accordance with the practic on of Claims	e under <i>Ex parte Qua</i>	yle, 1935 C.D. 11,	153 O.G. 213.	1112 12
4) 🖾	Claim(s) 1-32 is/are pending in the ap	plication.			
•	4a) Of the above claim(s) <u>15-32</u> is/are	withdrawn from consi	deration.		
5)	Claim(s) is/are allowed.				
6)⊠	Claim(s) <u>1-14</u> is/are rejected.				
7)	Claim(s) is/are objected to.				
8)⊠	Claim(s) <u>1-32</u> are subject to restriction	and/or election requir	ement.		
Application	on Papers	·			
9) 🗌 7	he specification is objected to by the E	Examiner.			
10)⊠ Т	he drawing(s) filed on <u>10 September 1</u>	<u>1998</u> is/are: a)⊠ acce <sub>l</sub>	oted or b)□ objected	to by the Examiner.	
	Applicant may not request that any object	tion to the drawing(s) be	held in abeyance. S	ee 37 CFR 1.85(a).	
11)∐ T	he proposed drawing correction filed o	on is: a)∏ appı	oved b)⊡ disappro	ved by the Examiner.	
_	If approved, corrected drawings are requi		action.		
12)⊠ T	he oath or declaration is objected to b	y the Examiner.			
Priority u	nder 35 U.S.C. §§ 119 and 120				
13) 🗌 .	Acknowledgment is made of a claim fo	r foreign priority unde	r 35 U.S.C. § 119(a	)-(d) or (f).	
a)[	☐ All b) ☐ Some * c) ☐ None of:				
	<ol> <li>Certified copies of the priority do</li> </ol>	cuments have been r	eceived.		
:	2. Certified copies of the priority do	cuments have been re	eceived in Applicati	on No	
	<ol> <li>Copies of the certified copies of application from the Internation</li> </ol>	the priority documents	have been receive	ed in this National Stage	_
	ee the attached detailed Office action f				
	cknowledgment is made of a claim for o				cation).
a) 15)∐ A	☐ The translation of the foreign langucknowledgment is made of a claim for	iage provisional applic domestic priority unde	ation has been rece r 35 U.S.C. §§ 120	eived. and/or 121.	
Attachment(					
2)  Notice 3)  Inform	of References Cited (PTO-892) of Draftsperson's Patent Drawing Review (PTO- ation Disclosure Statement(s) (PTO-1449) Pape	-948) 5) r No(s) 6)	Interview Summary Notice of Informal P Other:	(PTO-413) Paper No(s) atent Application (PTO-152)	
S. Patent and Trac TO-326 (Rev.	04.043	Office Action Summary		Part of Paper	No. 3

Application/Control Number: 09/151,115

Art Unit: 2874

#### **DETAILED ACTION**

# Election/Restrictions

Restriction to one of the following inventions is required under 35 U.S.C. 121:

- Claims 1-14, drawn to a telecommunications fiber optic infrastructure, classified in class 385, subclass 135.
- II. Claims 15-27, drawn to a method for deploying a telecommunications fiber optic infrastructure, classified in class 385, subclass 147.
- III. Claims 28-30, drawn to a method for deploying and managing a telecommunications fiber optic infrastructure, classified in class 385, subclass 147.
- IV. Claims 31 and 32, drawn to a method for prefabrication a cable, classified in class 385, subclass 95.

The inventions are distinct, each from the other because of the following reasons: Inventions I and II are related as product and process of use. The inventions can be shown to be distinct if either or both of the following can be shown: (1) the process for using the product as claimed can be practiced with another materially different product or (2) the product as claimed can be used in a materially different process of using that product (MPEP § 806.05(h)). In the instant case the product as claimed can be used in a materially different process such as being deployed without the step of grooming.

Inventions I and III are related as product and process of use. The inventions can be shown to be distinct if either or both of the following can be shown: (1) the process for using the product as claimed can be practiced with another materially different product or (2) the product as claimed can be used in a materially different process of using that product (MPEP § 806.05(h)). In the instant case the process as claimed can be practiced with another materially different product such as any known optical fiber distribution frame.

Inventions I and IV are unrelated. Inventions are unrelated if it can be shown that they are not disclosed as capable of use together and they have different modes of operation, different functions, or different effects (MPEP § 806.04, MPEP § 808.01). In the instant case the different inventions have different functions, different modes of operation, and different effects. Invention I is defines a fiber optic infrastructure and Invention IV defines a method for prefabricating a cable.

Inventions II and III are unrelated. Inventions are unrelated if it can be shown that they are not disclosed as capable of use together and they have different modes of operation, different functions, or different effects (MPEP § 806.04, MPEP § 808.01). In the instant case the different inventions have different modes of operation. The method of invention II comprises different steps than the method of invention III.

Inventions II and IV are unrelated. Inventions are unrelated if it can be shown that they are not disclosed as capable of use together and they have different modes of operation, different functions, or different effects (MPEP § 806.04, MPEP § 808.01). In the instant case the different inventions have different modes of operation, different

functions, and different effects. Invention II is a method for deploying a fiber optic infrastructure and Invention IV is a method for prefabricating a cable.

Inventions III and IV are unrelated. Inventions are unrelated if it can be shown that they are not disclosed as capable of use together and they have different modes of operation, different functions, or different effects (MPEP § 806.04, MPEP § 808.01). In the instant case the different inventions have different modes of operation, different functions, and different effects. Invention III is a method for deploying and managing a fiber optic infrastructure and Invention IV is a method for prefabricating a cable.

Because these inventions are distinct for the reasons given above and have acquired a separate status in the art because of their recognized divergent subject matter, restriction for examination purposes as indicated is proper.

During a telephone conversation with Robert F. Perry on May 16, 2002 a provisional election was made without traverse to prosecute the invention of I, claims 1-14. Affirmation of this election must be made by applicant in replying to this Office action. Claims 15-32 are withdrawn from further consideration by the examiner, 37 CFR 1.142(b), as being drawn to a non-elected invention.

#### Oath/Declaration

The oath or declaration is defective. A new oath or declaration in compliance with 37 CFR 1.67(a) identifying this application by application number and filing date is required. See MPEP §§ 602.01 and 602.02.

The oath or declaration is defective because:

It does not state whether the invention is a sole or joint invention of the invention claimed.

## **Drawings**

Twenty-seven (27) sheets of formal drawings were filed on September 10, 1998 and are accepted by the Examiner.

## Specification

The lengthy specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

## Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) do not apply to the examination of this application as the application being examined was not (1) filed on or after November 29, 2000, or (2) voluntarily published under 35 U.S.C. 122(b). Therefore, this application is examined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

Claims 1-5, 7, 9-11, 13 and 14 are rejected under 35 U.S.C. 102(b) as being anticipated by Vidacovich et al. (US 5.402.515).

Application/Control Number: 09/151,115

Art Unit: 2874

Regarding claim 1; Figures 1, 2 and 7 of Vidacovich et al. disclose a fiber optic infrastructure comprising a frame (12); and modules (14) having outside portions, inside portions, cable ports (50), and a plurality of inside mounting positions (24), each of which are in a designated state of equipped, unequipped or spare. The fiber optic infrastructure disclosed by Vidacovich et al. is inherently capable of connecting remote equipment to central office equipment, (see column 6, lines 28-32). A connection from the outside portion to the inside portion of the modules (14) must inherently be made to an inside mounting position in an equipped state for a telecommunications signal to be transmitted and/or received over that connection.

Regarding claim 2; equipment is inherently coupled to the outside portion of the module (14) via the cable port (50).

Regarding claims 3-5; the modules (14) are contained within a plurality of equipment bays, which are aligned in parallel rows that are perpendicular to a side of the fiber center distributing frame (12), and are contained in the fiber distributing frame (12) (see the abstract and Figure 7).

Regarding claim 7; Vidacovich et al. discloses fiber cable pathways connecting the two parallel rows of standard equipment bays in the fiber distribution frame (12) in Figure 7.

Regarding claim 9; Vidacovich et al. discloses that a standard jumper connects at least one piece of equipment to an equipment bay connector, the equipment bay connector located within an equipment bay and corresponding to an inside mounting position on which the equipment is located and that the equipment cables are coupled

Page 7

Art Unit: 2874

using interconnects between the equipment bay connectors and the outside portions (see the abstract; column 2, lines 60-30; column 4, line 1, through column 6, line 63; and Figures 1-7).

Regarding claim 10; the cables are deployed along fiber cable pathways in the invention of Vidacovich et al. (see the Figures).

Regarding claim 11; the equipment cables comprise a first section having a length to reach a farthest connector on the outside portion; a second section having a length that spans a distance from the frame (12) to an equipment bay benchmark; and a third section having a length that spans from the equipment bay benchmark to the equipment bay connector/inside mounting position in the invention of Vidacovich et al. for the connections to be made.

Regarding claim 13; the first section may further comprise a plurality of splice standard length fiber jumpers (see the abstract).

Regarding claim 14; the ratio of outside portion termination connections to inside portion termination connection is less than 1 to 1 in the invention of Vidacovich et al.

Claims 1-8 and 14 are rejected under 35 U.S.C. 102(e) as being anticipated by Anton et al. (US RE 37,489 E).

Regarding claims 1 and 3; Figures 1, 4, 8, 9 and 10 of Anton et al. disclose a fiber optic infrastructure including a frame (10); a plurality of standard equipment bays; and modules (16) having outside portions, inside portions, cable ports (88 and 90), and a plurality of inside mounting positions (96), each of which are in a designated state of equipped, unequipped or spare; wherein the modules are placed inside of the standard

equipment bays. The fiber optic infrastructure disclosed by Anton et al. is inherently capable of connecting remote equipment to central office equipment. A connection from the outside portion to the inside portion of the modules (16) must inherently be made to an inside mounting position in an equipped state for a telecommunications signal to be transmitted and/or received over that connection.

Page 8

Regarding claim 2; equipment is coupled to the outside portion using an interconnect in the invention of Anton et al.

Regarding claims 3-6; the standard equipment bays are aligned in parallel rows substantially perpendicular to a side of the frame (10); two of the parallel rows of standard equipment bays are proximately located to one fiber distributing frame (10); and two of the parallel rows of standard equipment bays are proximately located to two fiber distributing frames (10) in the invention of Anton et al. (see Figure 1).

Regarding claims 7 and 8; fiber cable pathways (60, 62, 72) connect the parallel rows of the standard equipment bays to the frames (10).

Regarding claim 14; a ratio of outside portion termination connections to inside portion termination connections is less than 1 to 1 in the invention of Anton et al.

Claims 1-5, 7, 9-11, 13 and 14 are rejected under 35 U.S.C. 102(b) as being anticipated by Ghandeharizadeh et al. (US 5,490,229).

Regarding claims 1-5; Figures 1 and 2 of Ghandeharizadeh et al. disclose a fiber optic infrastructure comprising a frame (10); a plurality of standard equipment bays (11, 14); a plurality of modules (20) placed within the equipment bays and having an outside portion, an inside portion, cable ports, and a plurality of inside mounting positions (34);

Application/Control Number: 09/151,115

Art Unit: 2874

wherein equipment is connected to the outside portion through a cable port (50) using an interconnect; wherein each inside mounting position is in a designated state selected from a group of operating states; wherein a connection from the outside portion to the inside portion is made to one a plurality of mounting positions; wherein the equipment bays (11, 14) are aligned in parallel rows substantially perpendicular to a side of the frame (10) and the inside mounting positions (34) are contained within the standard equipment bays (11, 14); and wherein two of the parallel rows of standard equipment bays are proximately located to one frame (10).

Regarding claim 7; a fiber cable pathway connects the two parallel rows of standard equipment bays (11, 14) to the frame (10), (see Figure 1).

Regarding claim 9; in column 2, line 20, through column 3, line 12,

Ghandeharizadeh et al. discloses that a standard jumper connects the at least one central office equipment to an equipment bay connector, the equipment bay connector being proximately located to an equipment bay corresponding to an inside mounting position on which the at least one central office equipment is located; and that an equipment cable is coupled between the equipment bay connector and the outside portion using an interconnect.

Regarding claim 10; the equipment cable is deployed along a fiber cable pathway in the invention of Ghandeharizadeh et al.

Regarding claim 11; the equipment cable comprising a first section having a length to reach a farthest connector of the outside portion; a second section having a length that spans a distance from the frame to an equipment bay benchmark; and a

third section having a length that spans from the equipment bay benchmark to the equipment bay connector in the invention of Ghandeharizadeh et al.

Regarding claim 13; in column 2, line 20, through column 3, line 12, Ghandeharizadeh et al. discloses that the first section may comprise a plurality of spliced fiber jumpers.

Regarding claim 14; the ratio of outside portion termination connections to inside portion termination connections is less than 1 to 1 in the invention of Ghandeharizadeh et al.

# Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 6, 8 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Vidacovich et al. (US 5,402,515).

Regarding claim 6; Vidacovich et al. discloses all of the limitations of claim 6 as applied to claim 1, except for specifically stating that two parallel rows of equipment bays are proximately located to two fiber distributing frames. One of ordinary skill in the art would have found it obvious to place three or more distribution frames (12) side by side in the invention of Vidacovich et al. to accommodate more connections, as this is very elementary in the art. Thus, one of ordinary skill in the art would have found it

Page 11

obvious to have two parallel rows of equipment bays be proximately located to two fiber distributing frames.

Regarding claim 8; a fiber cable pathway that connects two parallel rows of equipment bays is inherently located between two fiber distributing frames, when the frames are placed side by side in the invention of Vidacovich et al.

Regarding claim 12; Vidacovich et al. discloses all of the limitations of claim 12 as applied to claim 11, except for the cable including at least one reference mark to facilitate deploying the cable along the fiber cable pathway. The practice of using reference marks on cables to facilitate deployment of the cables is well known and very elementary in the art. Therefore, one of ordinary skill in the art would have found it obvious to incorporate reference marks on fiber cable to facilitate deployment of the cable and allow the cable to be properly placed within any distribution frame.

Claims 9-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Anton et al. (US RE37,489 E).

Regarding claim 9; Anton et al. discloses all of the limitations of claim 9 as applied to claim 3, except for a jumper connecting the equipment to an equipment bay connector. The equipment bay connector is proximately located to an equipment bay corresponding to an inside mounting position on which the equipment is located and the equipment cable is coupled to the equipment bay connector/inside mounting portion and the outside portion using an interconnect in the invention of Anton et al. One of ordinary skill in the art would have found it obvious to connect central office equipment to the

equipment bay connector/inside mounting position with a jumper, since jumpers are well known, commonly used, and very elementary in the art.

Regarding claim 10; the cables are deployed along fiber cable pathways in the invention of Anton et al.

Regarding claim 11; the cables comprise a first section having a length to reach a farthest connector on the outside portion; a second section that spans a distance from the frame to an equipment bay benchmark; and a third section that spans from the equipment bay benchmark to the equipment bay connector in the invention of Anton et al.

Regarding claim 12; Anton et al. discloses all of the limitations of claim 12 as applied to claim 11, except for the cable including at least one reference mark to facilitate deploying the cable along the fiber cable pathway. The practice of using reference marks on cables to facilitate deployment of the cables is well known and very elementary in the art. Therefore, one of ordinary skill in the art would have found it obvious to incorporate reference marks on fiber cable to facilitate deployment of the cables and allow the cable to be properly placed within any distribution frame.

Regarding claim 13; One of ordinary skill in the art would have found it an obvious design choice to have the first section of cable connecting to an outside portion of the invention of Anton et al. comprise of a plurality of spliced jumpers, as this is very elementary in the art.

Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ghandeharizadeh et al. (US 5,490,229).

Regarding claim 12; Ghandeharizadeh et al. discloses all of the limitations of claim 12 as applied to claim 11, except for the cable including at least one reference mark to facilitate deploying the cable along the fiber cable pathway. The practice of using reference marks on cables to facilitate deployment of the cables is well known and very elementary in the art. Therefore, one of ordinary skill in the art would have found it obvious to incorporate reference marks on fiber cable to facilitate deployment of the cables and allow the cable to be properly placed within any distribution frame.

#### Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

Strause et al. (US 6,061,492) teaches that optical fiber distribution frames are commonly used to connect central office equipment to remote equipment and that jumpers are usually interposed between a feeder cable and a distribution cable to allow for reconfiguration (see column 1, lines 10-40).

Wheeler (US 5,497,444) discloses a fiber distribution frame (10) including a bays (26) containing modules, ports (110, 112) for receiving cables, and inside mounting positions (90) for connecting cables. In column 1, lines 38-41, Wheeler teaches the use of jumper cables for cross-connecting pieces of optical equipment.

Thompson et al. (US 6,160,946) discloses a fiber distribution apparatus including a frame (22), equipment bays for receiving connection modules (23, 24); the connection modules including cable ports (112) and inside mounting locations (91).

Kawa (US 4,502,754); Lauriello et al. (US 4,630,886); George et al. (US 4,818,054); Petrunia (US 5,129,030); Czosnowski et al. (US 5,353,367); Henson et al. (US 5,420,958); Janus et al. (US 5,689,604); Larson et al. (US 5,701,380); Abel et al. (US 5,987,203); and Finzel et al. (DE 43 01 421 A1) each discloses optical fiber infrastructures/distribution frames of prior art.

Any inquiry concerning the merits of this communication should be directed to Examiner Michelle R. Connelly-Cushwa at telephone number (703) 305-5327. Any inquiry of a general or clerical nature (i.e. a request for a missing form or paper, etc.) should be directed to the Technology Center 2800 receptionist at telephone number (703) 308-0956 or to the technical support staff supervisor at telephone number (703) 308-3072.

Michelle R. Connelly-Cushwa

May 23, 2002

Aullah Akm E. Ullah Primary Examiner